



VIEW ON MATING SIDE

C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C															
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A															
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

A = 16 STANDARD CONTACTS L = 3
C = 16 STANDARD CONTACTS L = 3
S = 32 TOTAL NUMBER OF CONTACTS

MARKING	STANDARD
PERFORMANCE LEVEL	G1/O = CONTACT AREA LEVEL I / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85003-0001 SHT 1

C	G1/O	c2,4,6....32
A	G1/O	a2,4,6....32
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. 1.2004-XXXX DRAWN N.S. 09/09/03 CHK. G.L. 09/09/03 APPR. G.L. 09/09/03	QUALITY SYMBOLS MAJOR  CRITICAL 	GENERAL TOLERANCES: (UNLESS SPECIFIED):		SCALE	DESIGN UNITS <input checked="" type="checkbox"/> MM <input type="checkbox"/> INCH	DIMENSIONS: <input type="checkbox"/> INCH <input type="checkbox"/> INCH <input checked="" type="checkbox"/> MM <input type="checkbox"/> ONLY		SHT REV
		4 PLACES ± 0.15 ± 0.25		DRAWN BY & DATE S.S. 10/09/1999	TITLE: 96 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE C CONTACTS ARRANGEMENT		REVISION ON CAD ONLY	
		3 PLACES ± 0.25 ± 0.35		CHECKED BY & DATE G.L. 10/09/1999	MOLEX INCORPORATED		SHEET NO. 1 OF 1	
		2 PLACES ± 0.35 ± 0.45		APPROVED BY & DATE G.L. 10/09/1999	CAD FILENAME SD-85003-0634.S01	MATERIAL NO. 85003-0634	DRAWING NO. SD-85003-0634	SIZE D
C	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				