





PROJ. NO. 1
USED ON

DWG NO
C-1579007-1



- APPLICATION RANGE / Anwendungsbereich :**
- CONTACT JPT:** 144431-1, 144431-3, 6-144431-1, 144432-1, 144432-2, 144432-3
 - HOUSING JPT:** 185402, 185403
 - CONTACT MCP 2.8:** 968880, 968849, 969851, 968855, 968857, 968859, 967701, 967702, 967703, 967541, 967542, 967543
 - HOUSING MCP 2.8:** 1394682

DIESES ZEICHNUNGSDOKUMENT WIRD DURCH AMP INCORPORATED KONTROLLIERT. AENDERUNGEN, DIE DEN TECHNISCHEN FORTSCHRITT BIENEN, SIND VORBEHALTEN. DEN JEDELS LETZTUETLIGEN ANDERUNGSSTAND ORFARNEN SIE AUF ANFRAGE.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

PREZISASTTOLERANZEN NACH DIN 7168 (WERTE IN MM)
1) ANZEICHEN VON DIN 7168 2) LANGE DES KORZENEN SOWJENS

| | | | | | | | | |
|-----------|----------|-----|-----|-----|-----|-----|-----|------|
| KERNSPASS | UBER | 0,5 | 3 | 6 | 30 | 180 | 400 | 1000 |
| BOHRUNG | UNTER | 0,1 | 0,2 | 0,3 | 0,5 | 1 | 1,5 | 2 |
| BOHRUNG | MITTEL | 0,1 | 0,2 | 0,3 | 0,5 | 1 | 1,5 | 2 |
| BOHRUNG | HITZL | 0,1 | 0,2 | 0,3 | 0,5 | 1 | 1,5 | 2 |
| BOHRUNG | VERBODEN | 0,1 | 0,2 | 0,3 | 0,5 | 1 | 1,5 | 2 |

GENERAL TOLERANCES ACC. TO DIN 7168 (VALUES IN MM)
1) INDICATION FROM DIN 7168 2) LENGTH OF THE CORRESPONDING SURFACE

| | | | | | | |
|-----------------------------|----|----|----|----|----|----|
| FINISH | MM | 0 | 1 | 2 | 3 | 4 |
| TOLERANCES UNLESS SPECIFIED | h | 13 | 12 | 11 | 10 | 9 |
| | H | 14 | 13 | 12 | 11 | 10 |
| | k | 12 | 11 | 10 | 9 | 8 |

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON THE CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO ANY OTHER PERSON WITHOUT THE WRITTEN AUTHORIZATION FROM AMP INCORPORATED. - 63828 LAMEN

AMP 3306-7 REV 287E95 8 7 6 5 4 3 2 1

| | | | | |
|-----------------|---------------|------|------|------|
| REVISION RECORD | DATE | BY | APVD | DATE |
| A1 | 24.11.2008 | Sams | Sams | - |
| A1 | ECR-08-029773 | - | - | - |
| LTR | - | - | - | - |

| | | | | | | |
|-----------------------------|----|----|----|----|----|----|
| DIMENSIONS | MM | 0 | 1 | 2 | 3 | 4 |
| TOLERANCES UNLESS SPECIFIED | h | 13 | 12 | 11 | 10 | 9 |
| | H | 14 | 13 | 12 | 11 | 10 |
| | k | 12 | 11 | 10 | 9 | 8 |

| | | | | | | |
|-----------------------------|----|----|----|----|----|----|
| FINISH | MM | 0 | 1 | 2 | 3 | 4 |
| TOLERANCES UNLESS SPECIFIED | h | 13 | 12 | 11 | 10 | 9 |
| | H | 14 | 13 | 12 | 11 | 10 |
| | k | 12 | 11 | 10 | 9 | 8 |

| | |
|-----------------|-----------------------|
| DIN | 12.09.08 |
| MATERIAL | S. Sams1ag |
| DATE | 24.11.2008 |
| NAME | S. Sams1ag |
| EXTRACTION TOOL | Entriegelungswerkzeug |
| SCALE | 1:1 |
| STYL | A3 |
| DRAWING NO | C-1579007-1 |
| SHEET | 1 OF 1 |
| REV | A1 |

| | |
|-----------------|-----------------------|
| DIN | 12.09.08 |
| MATERIAL | S. Sams1ag |
| DATE | 24.11.2008 |
| NAME | S. Sams1ag |
| EXTRACTION TOOL | Entriegelungswerkzeug |
| SCALE | 1:1 |
| STYL | A3 |
| DRAWING NO | C-1579007-1 |
| SHEET | 1 OF 1 |
| REV | A1 |

| | |
|------------------|---------|
| GEWICHT / Weight | 0,000kg |
| HEAT TREAT | - |
| HEAT TREAT | - |