



SEE
DETAIL "A"



SECTION A-A




**UNCONTROLLED
DOCUMENT**

NOTES: UNLESS OTHERWISE SPECIFIED

1. COSMETIC SPECIFICATION REFER TO WI-QA-038.

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	60 Ω	130 Ω	250 Ω
Minimum	- Ω	104 Ω	- Ω




AGILENT E4991A Impedance/Material Analyzer
HP 16092A Test Fixture

BARE DIMENSIONS

A	16.00 [.630]	±	0.30 [.012]
B	9.25 [.364]	±	0.20 [.008]
C	11.99 [.472]	±	0.25 [.010]

WEIGHT/1000 7.98 kgs 17.6 lbs



DIMENSIONS ARE IN MM [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.					
H	UPDATE THE LOGO	05/13/15	QIU						
G	UPDATE COMPANY LOGO	06/11/10	JUN	PROJECT/PART NUMBER: 28B0631-000		REV	H	PART TYPE: FERRITE CORE	DRAWN BY: JAZ
F	UPDATE FORMAT, CURVE AND Z SPECS REM COATINGS CHANGE P/N FROM -00*	05/28/03	JRK						
E	CHG DIM B FROM .358, PER TOOLING PRINT	07/17/02	JRK	DATE:	9/24/93	SCALE:	2 : 1	MATERIAL:	FERRITE
D	UPDATE PRINT FORMAT, ADD CHAMFER DETAIL	04/17/02	JRK	CAD #	28B0631-000-H	TOOL #	B0631		
C	CHG P/N TO 28B0631-00*, ADD COATING SPECS	04/01/99	I.S.						
B	UPDATED P/N FOR NEW CATALOG	10/26/95	JBE						
A	ORIGINAL DRAFT	9/24/93	JAZ						
REV	DESCRIPTION	DATE	INT						