


# RAD-PIG-EF316-MCX-N

Order No.: 2867681



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867681>

Adapter cable, pigtail 50 cm MCX (male) -> N (male), insertion attenuation 1.5 dB@2.4 GHz; impedance 50 Ω;

| Commercial data          |   |
|--------------------------|---|
| GTIN (EAN)               | <br>4 017918 939052 |
| sales group              | H178  |
| Pack                     | 1 pcs.  |
| Customs tariff           | 85442000  |
| Catalog page information | Page 202 (NTK-2010)   |

### Product notes

WEEE/RoHS-compliant since:  
09/03/2007



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

| Technical data     |                           |
|--------------------|---------------------------|
| General            |                           |
| Connection 1       | Plug connector connection |
| Type of connection | Typ MCX (male)            |
| Connection 2       | Plug connector connection |
| Type of connection | Type N (male)             |
| Fixed cable length | 50 cm                     |

|                                 |                           |
|---------------------------------|---------------------------|
| Cable type                      | EF 316                    |
| Cable, attenuation              | approx. 1.5 dB/m          |
| Minimum bending radius          | 12.50 mm                  |
| External diameter               | 2.50 mm                   |
| Outer sheath, material          | Radox (LSFH)              |
| Connection name                 | Plug connector connection |
| Type of connection              | Typ MCX (male)            |
| Ambient temperature (operation) | -40 °C ... 70 °C          |

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;