

## Filler plugs - HC-K-BS-M25 BK - 1411245

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Filler plug, plastic, size: M25

Filler plugs



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Custom tariff number	39269097
Country of origin	Germany

### Technical data

#### Ambient conditions

Degree of protection	IP65
	IP65
	IP66 (Tightening torque 3.0 Nm)
Ambient temperature (operation)	-30 °C ... 100 °C

#### General

Type of the screw connection	M25
Material	Polyamide fiberglass reinforced
Seal material	CR
Thread type on connection side	M25
Torque	3 Nm
Flammability rating according to UL 94	HB

#### Standards and Regulations

Flammability rating according to UL 94	HB
--	----

# Filler plugs - HC-K-BS-M25 BK - 1411245

## Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	23111190

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC000032

## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted


---

Approval details

EAC
-----

## Drawings

Dimensional drawing



Dimensional drawing

---

