









THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
ES		A	INITIAL	13NOV2013	R.W W.H	



- NOTES:
- △ MATERIAL
TERMINAL: PHOSPHOR BRONZE C5210HF, THICKNESS 0.10mm.
HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0 BLACK
 - △ FINISH
TERMINAL: 0.1~0.2 um GOLD PLATING ON CONTACT AREA, 1.27 MIN. NICKLE UNDER PLATING, 0.025~0.075 um GOLD PLATING ON SOLDING AREA
 - 3 COPLANARITY: BEFORE REFLOW 0.08 MAX.; AFTER REFLOW 0.1 MAX.
 - 4 PACKAGING: TAPE & REEL.
DATE CODE: "YWWDS"
YWW = PRODUCTION DATE (YEAR, WEEK, DAY).
S = SHIFT (D=DYA, N=NIGHT)
 - 6 CONTACT CAN NOT TOUCH PCB & TAIL WHEN PRESS TO HOUSING SURFACE.
 - △ CONTACT CAN NOT EXCEED HOUSING EDGE WHEN PRESS TO HOUSING SURFACE.
 - 8 * MEANS KEY DIMENSIONS FOR CUSTOMER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	13NOV2013	STE TE Connectivity			
		CHK	RAY WANG				
		APVD	WENKE HE				
DIMENSIONS: mm		PRODUCT SPEC		NAME ONE PIECE BtoB CONNECTOR 4 PINS, 1.6MM PITCH, HI. 4, TWO ROWS			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15		APPLICATION SPEC					
<ul style="list-style-type: none"> 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±3° 		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL		CUSTOMER DRAWING		A300779	G-2199172		
FINISH		SCALE 20:1		SHEET 1 OF 2	REV A		



NOTES:
1. MATERIAL: P.S CLEAR, 0.4MM THICKNESS
2. QUANTITY PER REEL: 3500 PIECES

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±5°
MATERIAL -	FINISH -

DWN	RAY WANG	13NOV2013
CHK	WENKE HE	13NOV2013
APVD	WENKE HE	13NOV2013
PRODUCT SPEC	-	-
APPLICATION SPEC	-	-
WEIGHT	-	-



NAME
IPC BTB, 4 PINS, 1.6 PITCH, HI.4

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A300779	C=2199172	-	-